



### SNAP LOCK PUNCH 3/8"

Snap Lock Punch cuts tabs in vinyl & aluminum siding. 3/8" throat depth.

**SL5**

Snap Lock Punch for metal. 3/8" throat depth.

**SL1 (NOT SHOWN)**



### SNAP LOCK PUNCH 1/2"

Snap lock punch cuts tabs in vinyl siding & skirting. 1/2" throat depth.

**SL8**



### HORIZONTAL NAIL HOLE SLOT PUNCH

Nail hole slot punch, cuts 5/32" x 3/4" horizontal slots in siding. 5/8" throat.

**NHP1**



### J-CHANNEL CUTTER

Cuts notches and drain tabs in vinyl J-Channel. Vinyl grips.

J-Channel Cutter 5/8" - **JCC**

J-Channel Cutter 1/2" - **JCC50 (NOT SHOWN)**



### GUTTER ENDCAP CRIMPER ADJ 1/4" - 5/8"

Joins sheet metal pieces, throat adjusts from 1/4" to 5/8". Vinyl grips.

**SL2**



### TRIM NAIL HOLE PUNCH

Cuts 1/4" x 1/8" slot in vinyl or aluminum trim. 2" throat. Vinyl grips.

**TNHP**



### DOWNSPOUT CRIMPER 5 BLADE

1-1/4" throat.

**C4**



### 3 BLADE CRIMPER

For 22 ga. sheet metal pieces, 3/8" throat depth. Vinyl grips.

**SC3**



### TRIM NAIL PUNCH

Trim nail punch, with retaining clip holds nail securely while locating punch.

**TNP2R**



### TRIM NAIL PUNCH WITHOUT RETAINING CLIP

Small trim nail punch without retaining clip.

**TNP3S**



### GUTTER NAIL DRIVER

Used to attach aluminum or steel gutter to fascia, 7-5/8" long, 7oz.

**GND**



### 1/4" SCRATCH AWL

**A20**



### FIBER CEMENT NOTCHER

Scores and cuts arcs up to 4" diameter in fiber cement siding planks. Allows plumbing, electrical, venting or other outlets to pass through siding plank.

**FCN**



*Malco*

### FIBER CEMENT GAUGE SET

Permits one-person application of siding planks by completely freeing up user's hands.  
FCG2



### FIBER CEMENT SIDING FACING GAUGE

Easily held with one hand while steadying new plank for nailing.  
FCFG



### FIBER CEMENT SNIP

FCS



### SIDING REMOVAL TOOL, STRAIGHT

SideSwiper II siding removal tool. One piece steel design.  
SRT2



### SIDING REMOVAL TOOL

Original SideSwiper siding removal tool. One piece spring steel construction. Vinyl grip.  
SRT1



### 6" HAND SEAMER

Wide 6" jaws produce uniform, accurate bends in sheet steel and non-ferrous metals. Wider jaws also minimize buckling and bowing of metal. Graduations 1/4" to 1-1/4".  
S6



### 3" HAND SEAMER

Vee-notched depth. Graduations 1/4" to 1-1/4". Black vinyl grips.  
S2



### 3" OFFSET HAND SEAMER

Vee-notched depth. Graduations 1/4" to 1-1/4". Black vinyl grips.  
S3



### GUTTER OUTLET TOOL/PUNCH

Tool only - GOT  
2" x 3" die set - **GOP23UK** (NOT SHOWN)  
3" x 4" die set - **GOP34UK** (NOT SHOWN)



### SIDER

Replace chalk line to mark precise line or go straight to the knife with the Sider.  
Double 4" - **SD40**  
Dutchlap 4 1/2" - **SDL45** (NOT SHOWN)





## MALCO 1/4" ZIP-IN SCREW

### MILL BAG / TUB

- 6 x 3/8" - 100 Bag - **HW6X3/8ZBAG**
- 7 x 1/2" - 100 Bag - **HW7X1/2ZBAG**
- 7 x 1/2" - 1M Tub - **HW7X1/2ZTUB**
- 8 x 2" - 50 Bag - **HW8X2ZBAG**

### WHITE BAG / TUB

- 6 x 3/8" - 100 Bag - **HW6X3/8ZWG**
- 6 x 3/8" - 1M Tub - **HW6X3/8ZWT**
- 7 x 1/2" - 100 Bag - **HW7X1/2ZWG**
- 7 x 1/2" - 1M Tub - **HW7X1/2ZWT**
- 8 x 3/4" - 100 Bag - **HW8X3/4ZWG**
- 8 x 3/4" - 1M Tub - **HW8X3/4ZWT**
- 8 x 1" - 100 Bag - **HW8X1ZWG**
- 8 x 1" - 500 Tub - **HW8X1ZWT**

### BROWN BAG / TUB

- 6 x 3/8" - 100 Bag - **HW6X3/8ZRBG**
- 6 x 3/8" - 1M Tub - **HW6X3/8ZRBT**
- 7 x 1/2" - 100 Bag - **HW7X1/2ZRBG**
- 7 x 1/2" - 1M Tub - **HW7X1/2ZRBT**
- 8 x 3/4" - 100 Bag - **HW8X3/4ZRBG**
- 8 x 3/4" - 1M Tub - **HW8X3/4ZRBT**
- 8 x 1" - 100 Bag - **HW8X1ZRBG**

### CLAY BAG / TUB

- 7 x 1/2" - 100 Bag - **HW7X1/2ZCLG**

### BRONZE BAG / TUB

- 7 x 1/2" - 100 Bag - **HW7X1/2ZMBG**
- 7 x 1/2" - 1M Tub - **HW7X1/2ZMBT**

## 12" ANDY PATTERN SNIP

Andy straight pattern snips. 12" long, lightweight. Makes 3" cut.

Aluminum Handle - **M12N**

Replacement Blades - **M12NRB** (NOT SHOWN)



**Zip-in**

## 12" ANDY SNIP WITH RUBBER GRIP

Cuts straight

**M12NG**

Replacement Blades - **M12NRB** (NOT SHOWN)



## 14" ANDY PATTERN SNIP

Andy straight pattern snips. 14" long, lightweight. Makes 3-1/4" cut.

Aluminum Handle

**M14N**

Replacement Blades

**M14NRB** (NOT SHOWN)



## 12" ANDY COMBO SNIP

Andy combination snips for straight, left and right cuts. 12" long, lightweight, makes 3" cut.

**MC12N**

Replacement Blades

**MC12NRB** (NOT SHOWN)



## 12" ANDY COMBO SNIP

With a rubber grip

**MC12NG**

Replacement Blades

**MC12NRB** (NOT SHOWN)



## 14" ANDY COMBO SNIP

Andy combination snips for straight, left and right cuts. 14" long, makes 3-1/4" cut.

**MC14N**

Replacement Blades

**MC14NRB** (NOT SHOWN)



## 12" ANDY SIDING SNIP

3" high carbon steel blades cut either a straight line or up to a 6" diameter circle cut to the left or the right.

**MV12**



## 12" TINNER SNIP CUTS STRAIGHT

Cuts straight.

**M9**





## DUCKBILL SNIP

Cuts straight or tight curves left/right.  
 10" Duckbill Snip Cuts Straight – **MD10**  
 12" Duckbill Snip – **MD12** (NOT SHOWN)



## NAVI-GATOR SNIPS

10" Navi-Gator combination snip. Cutlery grade replacement blades. For shearing and left or right pattern cuts, cuts in 1/2" clearances.  
**M2010**



## NAVI-GATOR COMBO SNIP

12" Navi-Gator combination snip. Cutlery grade replacement blades. Left or right pattern cuts and circles down to 6" D, cuts in 1/2" clearances.  
**M2012**



Replacement Blades – **M2012RB** (NOT SHOWN)

## NAVI-GATOR 14"

14" Navi-Gator combination snip. Cutlery grade replacement blades. Left or right pattern cuts and circles down 6" D.  
**M2014**



Replacement Blades – **M2014RB** (NOT SHOWN)

## MAX 2000 SNIP

Cuts Right – **M2002**  
 Cuts Left – **M2001** (NOT SHOWN)



## MALCO 10" AVIATION SNIP CUTS STRAIGHT

Compound lever, drop forged, 10" long. Cuts straight.  
**AV3**



## MALCO 10" AVIATION SNIP (LEFT)

Compound lever, drop forged, 10" long. Cuts left.  
**AV1**



## MALCO 10" OFFSET AVIATION SNIP (LEFT)

Left cut offset aviation snip.  
**AV6**



## MALCO 10" AVIATION SNIP (RIGHT)

Compound lever, drop forged, 10" long. Cuts right.  
**AV2**



## MALCO 10" OFFSET AVIATION SNIPS (RIGHT)

Right cut offset aviation snip.  
**AV7**



## KLENK 10-1/2" CUT AVIATION SNIP (LEFT) - 1G

With 1-1/2" cut.  
**MA70560**



## KLENK 10-1/2" CUT AVIATION SNIP (RIGHT) - 2G

With 1-1/2" cut.  
**MA70570**



## KLENK 10-1/2" CUT AVIATION SNIP (STRAIGHT) - 3G

With 1-1/2" cut.  
**MA70580**



## KLENK LARGE, 13" SIDING SHEAR

2-1/4" cut.  
**MA72000**





### KLENK SMOOTH BLADE AVIATION SNIP

10-1/2" long, 1-1/2" cut, straight cut, leaves no teeth marks

MA74510



### KLENK FOLDING TOOL

Lightweight aluminum. All models fold 3/8" and 1"

12" - MA77500

18" - MA77510

24" - MA77520



### EVERHARD FAIRMONT HAND TONGS (STRAIGHT)

9-1/2" long x 3" wide lip, 1-1/8" throat depth, Bending depth marks on jaw.

MT14000



### EVERHARD FAIRMONT HAND TONGS (OFFSET)

Offset handles, 9-1/2" long x 3" wide lip, 1-1/8" throat depth.

MT14030



### AJC ASG27M SPEED ROOF HATCHET

Roofing hatchet with adjustable sliding gauge from 4" to 5-5/8" for standard and metric shingles.

BT2520

AJC Hatchet Replacement Blades 10 pk.

AJC4R10 (NOT SHOWN)



### AJC SG100 SPEED ROOF HATCHET

Stationary screw gauge can be set for 4", 5", or 5-5/8" exposure.

BT2521

AJC Hatchet Replacement Blades 10 pk.

AJC4R10 (NOT SHOWN)



### AJC MAGNETIC SHINGLING HATCHET 003-WSG

BT2545



### AJC ROOFING HATCHET GAUGES 007-SG

AJC007SG



### AJC BLADE KEEPER 008-BK

AJC008BK (NOT SHOWN)



### AJC NAIL STRIPPER

Right - BT0401

Left - BT0408 (NOT SHOWN)

### ESTWING RIP CLAW HAMMER 20 OZ.

20 oz. solid steel rip hammer with blue vinyl grip.

E3-20S



### ESTWING CLAW HAMMER

16 oz. solid steel rip hammer with blue vinyl grip (shock reduction grip handle)

Rip Claw 16oz. - E3-16S

Curved Claw 16oz. - E3-16C



### ESTWING SURE STRIKE HAMMER 16 OZ.

Wood Rip 16oz. - MRW16S

Wood Curved 16oz. - MRW16C (NOT SHOWN)



## STANLEY



### STANLEY HACKSAW

Rigid steel frame with molded cushion grip. D-shape guard protects hand and knuckles. Adjustable frame. Blade length 254mm, 10" Blade depth 98mm, 3-7/8"

15-265



### STANLEY FATMAX SAW

20-045



### MALCO TURBO SHEAR

Make your drill a power shear instantly. Inserts directly into the chuck of a standard 1200 RPM A/C or cordless drill.

TS1



### MALCO FIBER CEMENT TURBO SHEAR

Fits most 14.4 volt or larger cordless or standard A/C power drills for easy operation anywhere on the job site. Wide skid plate design stabilizes all TurboShearFC models for precise, clean cuts in fiber cement siding up to 5/16".

TSF1



### MALCO PNEUMATIC FIBER CEMENT TURBO SHEAR

The ultimate tool for those who want to make quick, clean cuts in fiber cement siding including window and door arches! Fast cutting blades are specialized only for fiber cement siding. (Pneumatic tool not included)

TSF1A



### MALCO HEAVY DUTY TURBO SHEAR

Cuts straight and to the left. Cuts up to 18-gauge galvanized steel. (drill not included)

TSHD



### MALCO TURBO SHEAR REPLACEMENT BLADES

TSHD - TSHDRB

TS1 - TS1RB (NOT SHOWN)

FC - TSFCRB (NOT SHOWN)



### MALCO 3 STATION METAL EDGE ROLLER

ER3



### MALCO DRIP EDGE FOLDING TOOL

DEFT



### SNAPPER PACIFIC INTERNATIONAL FIBER CEMENT SIDING CUTTER

Snapper Shear

SNPRSS404



### SNAPPER PACIFIC INTERNATIONAL BLADE KIT FOR SS404

SNPR40253 (NOT SHOWN)

### SNAPPER PACIFIC INTERNATIONAL SIDING GAUGE - PAIR SA903

Heavy-gauge plastic helps avoid marring the painted surface. One person can install fiber cement siding while ensuring each course stays level. Adjusts for a 5, 6, 7" or 8" reveal. Sold in a set of two.

SPECIAL

