



HITACHI 4-1/2" DISC GRINDER

9.5 Amp motor, large paddle switch, tool-less wheel guard, specially sealed armature coil, removable side handle, carbon brush access, 4.2lbs.

HITG12SE2



HITACHI 2" CAP NAILER

5.52 lbs., plastic and metal caps, drives nail and caps in tandem, selective actuation, tool-free depth adjustment, drives 350 caps and 350 nails.

HITNV50AP3



HITACHI ROOFING COIL NAILER NV45AB2

5.5lbs, side loading magazine, tool-less depth of drive adjustment, carbide tipped push lever, quick driving, pneumatic power feed and return.

HITGUN



HITACHI WIRE COIL NAILER NV83A2

Round head, coil wire collation. 2" - 3 1/4" x .098/.113/.120/.131.

HITNV83A2



HITACHI INSPIRE DESIGN 2-1/2" FINISH NAILER WITH BLOW NOZZLE

Integrated air duster, clears the surface in preparation for the nail.

HITNT65M2



HITACHI FRAMING NAILER, FULL HEAD, PLASTIC STRIP COLLATION

7.9lbs, tool-less depth adjustment, 2-piece steel magazine, open nose design, hardened aggressive toenail push lever, selective actuation.

HITNR83A2S



HITACHI 3-1/2" CLIPPED HEAD FRAMING NAILER

7 lbs, drives 3-1/2" x .131 into engineered lumber, elective actuation, two-piece anodized aluminum magazine, tool free depth of drive adjustment.

HITNR90AD



HITACHI 3-1/2" FULL HEAD GAS FRAMING NAILER

HITNR90GR



HITACHI FUEL ROD 2 PK FOR NR90GR NR90GC

HIT728980D



HITACHI SIDING/FRAMING NAILER, COIL, WIRE/PLASTIC SHEET COLLATION

5.5lbs, top load pop-out magazine, tool-less depth of drive adjustment, drives both wire collated and plastic sheet collated nails, adjustable air deflector, plastic shield.

HITNV75AG



HITACHI SIDING NAILER, COIL, WIRE/PLASTIC SHEET COLLATION

4.6lbs, depth of drive adjustment, drives wire and plastic sheet, adjustable air deflector, no-mar nose cap attachment, plastic shield.

HITNV65AH



HITACHI 10 AMP RECIPROCATING SAW

10 Amp motor, stroke length of 1-5/32", blade changing system, reversible blade, D-shaped handle, 7.3 lbs, adjustable pivot foot, dust and water resistant.

HITCR13V





MAX SUPER SIDING NAILER CN565S

The MAX SuperSider is recognized for its power driving into cement board and the wide range of fasteners it can shoot.

MAXCN565S



MAX SUPER ROOFING NAILER CN445R

The MAX SuperRoofer is the latest version of MAX's roofing nailer. It is a market leader in quality and durability. MAX private labeled the first roofing nailer ever introduced to the North American market.

MAXCN445R



MAX SUPER FRAMING NAILER SN883RH

The MAX SuperFramer will wow you with its light weight, compact size and power. Max's durability is unmatched in the marketplace.

MAXSN883RH



PASLODE CF-325 NEW CORDLESS FRAMING NAILER

Easy-to-use fuel system (just drop the cartridge in and you're ready to go), and easy access to the innards for when you have to clean the tool. Paslode guarantees that each fuel cartridge can shoot off around 1200 nails. The new framer also offers fast firing, an ergonomic grip, and a vicious looking toenailing claw.

902200



PASLODE CORDLESS 16GA ANGLED FINISH NAILER 900600

Cordless – easy access to corners. Perfect for overhead use. Fits into tight spots. No hoses or compressors. Lightweight and well balanced. Powerful, drives up to 2-1/2" finish nail. Tool-Free depth of drive adjustment, provides precise control of nail depth in hard or soft wood. No wrenches needed.

4611513



PASLODE CORDLESS 18GA BRAD NAILER 901000

Cordless – the convenience and freedom of no hoses and compressor. Lightweight and balanced. Weighs only 4.9lbs. Allowing more maneuverable tool with less arm and wrist fatigue. Fastener range is 5/8" - 2".

4610576



PASLODE POWERMASTER PLUS FRAMING NAILER F350-S 501000

Pneumatic – made for high production work with rugged aluminum housing that stands up to the demands of the job in any kind of weather. Unmatched power-to-weight ratio. All the power to drive into engineered lumber, yet still comfortable to use.

4619888



PASLODE FUEL CELL PACK (2 CELLS) FOR CORDLESS FRAMING NAILER 816000

Red fuel for cordless framer.

PASRED



PASLODE SHORT YELLOW FUEL CELL PACK (4 CELLS) 650039

Yellow fuel for cordless finish and brad tools.

PAS235AFC





PASLODE BATTERY FOR CORDLESS NAILERS 404717

Battery for all Paslode cordless tools.
4619953



PASLODE CORDLESS OIL 4OZ 401482

Cordless Oil – specially formulated to be used in all Paslode cordless tools. Regular oil for pneumatic tools will not withstand the heat that is generated by cordless tools that are run with a fuel cell. Paslode Cordless Oil will protect your tool for many years, if used on a regular basis.

4617874



PASLODE DEGREASER SAFETY SOLVENT 12OZ 219086

Specially made for cleaning all Paslode cordless tools. Easy to use. Extend the life of your tool by cleaning on a regular basis.

4619615



SENCO FINISHPRO 32XP, 16 GAUGE, FINISH NAILER, SEQUENTIAL, WITH CASE

Air powered finish nailer, drives 1-1/4" to 2-1/2" 16 gauge straight finish nails. Includes one year warranty. Comes complete with rugged carrying case, air fitting, tool oil and wrench. This compact finish nailer is perfect for all finishing needs.

1X0201N – 32XP



SENCO FINISHPRO 42XP 15 GAUGE FINISH NAILER, SEQ, WITH CASE

Angled finish nailer, drives 1-1/4" to 2-1/2" 15 gauge Senco finish nails. Comes with five year Xtreme Pro warranty. Includes rugged plastic carrying case. No lubrication required. The improved FinishPro 42XP replaces the very popular FinishPro 41XP.

4G0001N – 42XP



SENCO FRAMEPRO 701XP CLIPPED HEAD, SEQUENTIAL

Air powered framing nailer, drives 2" to 3-1/2" Senco clipped head framing nails. Includes five year manufacturers warranty. Features a rugged internal design for increased durability, adjustable depth of drive, aggressive sawtooth safety for toenailing, and comfortable molded grip.

2H0133N – 701XP



PORTER-CABLE COIL PNEUMATIC NAILER

Drives standard 15° wire-collated coil framing nails from 1-1/2" to 3-1/2" x .099" to .131" dia. Light weight Magnesium housing (7.4).

Roofing nailer – RN175A



BOSTITCH RN46 COIL ROOFING NAILER

Replaceable anti-slip rubber frame protector. Easy one piece, one step loading. Shingle placement guide. Long life carbide steel contact parts.

NRN46



BOSTITCH WIRE COLLATED COIL FRAMING NAILER

Lightweight magnesium design for added durability. Patented push button adjustable depth guide sets nail to desired depths quickly and conveniently.

BOSN89C1



BOSTITCH WIRE COLLATED COIL SHEATHING NAILER

Perfect for high-volume nailing of wall and roof sheathing. Drives 15° wire weld collated and plastic inserted nails with shank diameters of .090" - .131".

BOSN75C1





BOSTITCH 28 DEGREE WIRE WELD COLLATED STICK FRAMING NAILER

Patented push button adjustable depth guide sets nail to desired depths quickly and conveniently. Includes factory installed sequential trigger.

BOSF28WW



BOSTITCH COLLATED FRAMING/METAL CONNECTOR NAILER

Two nailers in one: includes two quick change nosepieces to convert tool to either framing or metal connector applications.

33 degree paper tape – **BOSF33PT** (NOT SHOWN)

21 degree plastic – **BOSF21PL**



BOSTITCH CONSTRUCTION STAPLER

Jam-free magazine to minimize downtime. Overmolded rubber grip.

1/2" – **BOS650S41**

7/16" – **BOS650S51** (NOT SHOWN)



BOSTITCH CAP STAPLER KIT

Uses wider 5/16" crown staples that help prevent puncture to the cap. Adjustable depth guide sets staples to desired depths quickly.

BOSB150SLBC1



BOSTITCH 15 DEGREE COIL SIDING/DECKING NAILER

Drives wire weld and plastic inserted coil nails. Adjustable depth guide sets nails to desired depths quickly and conveniently.

BOSN66C1



BOSTITCH WIDE CROWN ROOFING STAPLER - 1" CROWN

BOS438S2R1



BOSTITCH CAP NAILER

Tool-free "Dial-A-Depth" adjustment sets nails to desired depths quickly and conveniently. Lightweight magnesium design for added durability.

BOSN66BC1



BOSTITCH OIL FREE KITS

15 angled finish nailer kit – **BOSN62FNK2**

18 brad nailer kit – **BOSBT200K2** (NOT SHOWN)

18 finish stapler kit – **BOSSX150K1** (NOT SHOWN)



BOSTITCH 23 GAUGE HEADLESS PIN NAILER

Adjustable high/low power control sets pin depth without changing compressor setting.

BOSHP118K



BOSTITCH PAPER TAPE COLLATED METAL CONNECTOR NAILER

Compact design fits between 12" O.C. joists. Low nail lockout prevents dry fires.

BOSMCN150



BOSTITCH IMPACT NAILER

Ideal for driving common bulk nails in confined areas and for nailing of metal connectors and joist hangers.

BOSPN100K



DEWALT HEAVY DUTY COMPOUND MITER SAW

Heavy-Duty Miter Saw Stand – DW723
12" Double-Bevel, Sliding 15 AMP, 3,600 RPM
DW718 (NOT SHOWN)



DEWALT TABLE SAW WITH STAND

Exclusive, telescoping fence delivers 24-1/2" rip capacity without sacrificing portability. Includes stand. 10"
DW744X



DEWALT JOB SITE TABLE SAW STAND

10" Job site table saw stand
DW7450



DEWALT RECIPROCATING SAW KIT

4-position blade clamp, 10.0 Amp motor, lever-action keyless blade clamp, 0-2,800 strokes per minute and 1-1/8" stroke length, variable speed trigger.
DW304PK



VS 13AMP RECIPROCATING SAW KIT:

13 Amp motor delivers increased power for heavy-duty applications. Orbital action delivers fast cutting for wood applications.
DW311K (NOT SHOWN)

DEWALT HEAVY DUTY COIL ROOFING NAILER 3/4" - 1-3/4"

Lightweight (4.9 lbs), rapid cycle rate, tool free depth adjustment, convenient side load canister, carbide inserts on contact trip foot for durability.
D51321



DEWALT HD XRP 18V 1-1/4" - 2-1/2" 15 GAUGE 34° ANGLED FINISH NAILER KIT

Engine design allows the tool to work as fast as the end user with consistent nail penetration into both soft and hard joints.
DC628K



DEWALT 1"- 2"X1/2" 16 GAUGE MEDIUM CROWN STAPLER

Cycle rate of 20 fasteners/second (at 100 psi), low air consumption rating, tool-free jam clear and indexed depth adjustment, tool-free 360° exhaust.
D51431



DEWALT 18 GAUGE 2" CORDLESS BRAD NAILER

Engine design allows the tool to work as fast as the end user with consistent nail penetration into both soft and hard joints.
DC608K



DEWALT 18 GAUGE SWIVEL HEAD SHEAR

Powerful, 5.0 Amp, all ball-bearing motor, head swivels 360°, cuts 7/32" strip which continuously curls out of cutting area, variable speed permits cutting of a wide variety of thickness, cuts radius of 5-1/2" and larger
DW890



DEWALT HEAVY DUTY PALM NAILER

Lightweight, compact design (Only 2.65 lbs.). Jobsite versatility - will drive all jobsite required fasteners (6d - 16d bulk nails).
D51180



DEWALT HEAVY DUTY 4-1/2" SMALL ANGLE GRINDER

10 AMP, 11,000 RPM motor, metal gear case, 3 position removable side handle, AC/DC capacity works off welding machines and generators.
D28402K



DEWALT 18V XRP™ 1/2" HAMMERDRILL/DRILL/DRIVER

Max power 510 UWO, 3 speed.
DC925KA

